

**AMENDMENTS TO THE CLAIMS**

1. (Currently amended) A method for extracting data from a network by a server, comprising:

- (a) enabling a database-structured query with at least one fundamental clause to be generated by a user;
- (b) determining a web domain address on the network from which to extract the data;
- (c) extracting the data from the web domain address directly by retrieving a non-database structured arrangement of data from the determined web domain address and performing the database-structured query upon the retrieved non-database structured arrangement of data; and
- (d) providing the extracted data from the determined web domain address in a data log directly to the user.

2. (Original) The method of Claim 1, wherein creating the database-structured query, further comprises, including a network address within the database-structured query indicating a starting point.

3. (Previously presented) The method of Claim 2, wherein the determined web domain address, includes at least one universal resource locator (URL).

4. (Previously presented) The method of Claim 2, wherein directly extracting data from the determined web domain address, further comprises, following links contained within the web domain until the links have been exhausted or following the links until a predetermined limit is reached.

5. (Original) The method of Claim 1, wherein creating the database-structured query, further comprises, creating a regular expression within the database-structured query used to determine the data to extract.

6. (Previously presented) The method of Claim 5, wherein directly extracting data from the web domain further comprises matching a plurality of patterns contained within the regular expression to the retrieved data to determine the data to extract.

7. (Previously presented) The method of Claim 1, wherein creating the database-structured query, further comprises, creating a conditional expression within the database-structured query describing how to scan the data at the determined web domain address for the data to extract.

8. (Previously presented) The method of Claim 1, wherein directly extracting the data from the web domain, further comprises:

- (b) reducing the retrieved data to a region of interest; and
- (c) searching the region of interest for the data matching a predetermined regular expression.

9. (Previously presented) The method of Claim 8, wherein directly extracting the data from the web domain, further comprises, storing the data matching the predetermined regular expression.

10. (Previously presented) The method of Claim 1, further comprising, reshaping at least a portion of the extracted data for use by at least one data analysis software program.

11. (Currently amended) A computer-readable medium having computer-executable instructions for extracting data from a network, the computer-executable instructions enabling actions comprising:

- (a) creating a database-structured query with at least one fundamental clause including a web domain address used for locating data, based, in part, on a user input;
- (b) locating data based on the web domain address provided by the database-structured query;

- (c) extracting at least a portion of the located data directly by retrieving a non-database structured arrangement of data from the located data and performing the database-structured query upon the retrieved non-database structured arrangement of data; and
- (d) providing the extracted data from the web domain address in a data log directly to the user.

12. (Original) The computer-readable medium of Claim 11, wherein the database-structured query, further comprises, a network address included within the database-structured query indicating a starting point.

13. (Original) The computer-readable medium of Claim 12, wherein the network address, further comprises at least one universal resource locator (URL).

14. (Previously presented) The computer-readable medium of Claim 11, wherein the web domain address, further comprises at least one link to another web domain address for locating data to extract.

15. (Original) The computer-readable medium of Claim 11, wherein the database-structured query, further comprises, a regular expression within the database-structured query used to determine the data to extract.

16. (Previously presented) The computer-readable medium of Claim 15, wherein the regular expression within the database-structured query, further comprises at least one pattern used to determine the data to extract.

17. (Currently amended) A system for extracting data from a network comprising:

- (a) a client computer system having a client network connection to the network and communicating with a server computer system, the client creating a database-structured query with at least one fundamental clause, based, in part, on a user input;

(b) the server computer system having a server network connection to the network and communicating with the client computer system, the server computer system further configured to perform actions, comprising:

receiving the database-structured query from the client computer system;

determining a web domain address on the network from which to extract at least a portion of the data relevant to the query, wherein the determined web domain address is provided by the database-structured query;

extracting at least the portion of the data from the web domain address directly by retrieving a non-database structured arrangement of data from the determined web domain address and performing the database-structured query upon the retrieved non-database structured arrangement of data; and

providing the extracted data from the web domain address in a data log directly to the user.

18. (Original) The system of Claim 17, wherein the database-structured query, further comprises, a network address within the database-structured query indicating a starting point.

19. (Original) The system of Claim 18, wherein the database-structured query, further comprises, a regular expression within the database-structured query used to determine the data to extract.

20. (Previously presented) The system of Claim 19, wherein the regular expression within the database-structured query, further comprises, at least one pattern used to determine the data to extract.

21. (Original) The system of Claim 17, further comprising an editor for creating a template of regular expressions used to extract the data.





34. (Currently amended) A method of extracting data within at least one webpage, comprising:

- (a) generating a database-structured query with at least one fundamental clause based, in part, on a user's input;
- (b) determining at least one webpage with the data, wherein the determination of the webpage is provided by the database-structured query;
- (c) parsing the data at the at least one webpage in search of data that satisfies a query condition, wherein the data at the at least one webpage is directly processed as though it is a searchable database, whereby a non-database structured arrangement of data is retrieved at the at least one webpage and the database-structured query is performed upon the retrieved non-database structured arrangement of data;
- (d) extracting at least a portion of the data from the retrieved non-database structured arrangement of data that satisfies the query condition;
- (e) reshaping the extracted data to a predetermined format; and
- (f) providing the extracted data from the webpage in a data log directly to the user.

35. (Previously presented) The method of Claim 34, wherein the search of data is performed on at least a second webpage.

36. (Previously presented) The method of Claim 34, wherein parsing the data of the at least one webpage further comprises following links included on the webpage and further parsing the data of webpages determined by the links included on the webpage.

37. (Previously presented) The method of Claim 34, wherein the structured query is generated to parse a limited portion of the data of the at least one webpage with the limits predetermined by the user.

38. (Previously presented) The method of Claim 34, wherein the structured query is generated to search for at least one of a text string, a table, and a predefined list of words.

39. (Canceled)

40. (Canceled)

41. (New) The method of Claim 1, wherein the at least one fundamental clause includes a request to parse an HTML table, and wherein extracting the data further comprises extracting data from the HTML table.

42. (New) The method of Claim 8, further comprising providing authentication data to the web domain.

43. (New) The method of Claim 34, wherein the extracted data includes at least one binary file.

44. (New) The system of Claim 17, wherein the server computer system is further configured to perform the actions including:

storing the database-structured query; and

providing a stored database-structured query to the client computer system upon user input request.